

10-16-00
EK287384616045
A

THE ASSISTANT COMMISSIONER FOR PATENTS
Washington, D.C. 20231

DOCKET NUMBER: CA9-1998-0006
DATE: 10/12/2000

Sir:

Transmitted herewith for filing is the Patent Application of:

Inventors: Andrew E. Blau and Eduardus A.T. Merks

For: **System and Method for Managing Messages and Annotations Presented in a User Interface**

Enclosed are:

- ☒ Patent Specification and Declaration
- ☒ 23 sheets of drawing(s). (Formal)
- ☒ An assignment of the invention to International Business Machines Corporation (includes Recordation Form Cover Sheet).
- ☒ A certified copy of a Canadian (serial no. 2,293,068) application.
- ☐ Information Disclosure Statement, PTO 1449 and copies of references.
- ☒ Preliminary Amendment

The filing fee has been calculated as shown below:

For	Number Filed	Number Extra	Rate	Fee
Basic Fee				\$ 710.00
Total Claims	30 - 20	10	x 18 =	\$180.00
Indep. Claims	7 - 3	4	x 80 =	\$320.00
MULTIPLE DEPENDENT CLAIM PRESENTED			x 2 70 =	\$ 0.00
			TOTAL	\$1210.00

☒ Please charge my Deposit Account No. 09-0451 in the amount of \$ 1210.00. A duplicate copy of this sheet is enclosed.

☒ The Commissioner is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to Deposit Account 09-0451. A duplicate copy of this sheet is enclosed.

☒ Any additional filing fees required under 37 CFR §1.16.

☒ Any patent application processing fees under 37 CFR §1.17.

Respectfully submitted,

By

David A. Mims Jr.
David A. Mims, Jr.
Registration No. 32,708
Intellectual Property Law Dept.
IBM Corporation
11400 Burnet Road, Zip 4054
Austin, Texas 78758
Telephone (512) 823-0950

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: : Before the Examiner:
A. Blau et al. :
Serial No: : Group Art Unit:
Filed: : Intellectual Property
Title: SYSTEM AND METHOD : Law Department
FOR MANAGING MESSAGES AND : International Business
ANNOTATIONS PRESENTED IN A : Machines Corporation
USER INTERFACE : 11400 Burnet Road
: Internal Zip 4054
Date: October 12, 2000 : Austin, Texas 78758

PRELIMINARY AMENDMENT

Assistant Commissioner of Patents
Washington, D. C. 20231.

Sir:

Please amend this application as follows:

IN THE CLAIMS:

3. (Amended) The method of claim 1 [or claim 2], said accepting step
further comprising the steps of:

selectively presenting to said user an edit panel; and

receiving from said user said annotation input to said edit panel.
4. (Amended) The method of [any one of claims] claim 1 [to 3], further
comprising the steps of:

CA9-1998-006

09687092-101200

selecting a message from a first file of messages for display to said user;
and

associating in a second file said annotation to a corresponding message
in said first file.

6. (Amended) The method of claim 4 [or claim 5], further comprising the
steps of:

upon presenting a message from said first file, determining the
presence of a corresponding annotation in said second file;

responsive to the presence of said corresponding annotation,
displaying with said message indicia representing the existence of said
annotation;

selectively receiving from said user a request to display said
annotation; and

responsive to receiving the request from said user, displaying said
annotation with said message.

9. (Amended) The method of claim [any one of claims] 1 [to 8], further
comprising the step of presenting said annotation to other users receiving
said message.

10. (Amended) The method of claim [any one of claims] 4 [to 6], further comprising the step of enabling access by other users to said second file.
16. (Amended) A program storage device readable by a machine, tangibly embodying a program of instructions executable by a machine to perform the method steps for managing messages of [any one of claims] claim 1 [to 11].
17. (Amended) A computer program product or computer program element for managing a message display according to [the steps of any one of Claims] claim 1 [to 11].
20. (Amended) The article of manufacture of claim 18 [or claim 19], said computer readable program code means for causing a computer to effect accepting further comprising:
 - computer readable program code means for causing a computer to effect selectively presenting to said user an edit panel; and
 - computer readable program code means for causing a computer to effect receiving from said user said annotation input to said edit panel.
21. (Amended) The article of manufacture of claim [any one of claims] 18 [to 20], further comprising:

computer readable program code means for causing a computer to effect selecting a message from a first file of messages for display to said user; and

computer readable program code means for causing a computer to effect associating in a second file said annotation to a corresponding message in said first file.


26. (Amended) The article of manufacture of claim [any one of claims] 18 [to 25], further comprising computer readable program code means for causing a computer to effect presenting said annotation to other users receiving said message.
27. (Amended) The article of manufacture of claim [any one of claims] 21 [to 23], further comprising computer readable program code means for causing a computer to effect enabling access by other users to said second file.

REMARKS

Claims 1-30 are pending in this Canadian patent application. Applicants have amended Claims 3,4,6,9,10,16,17,20,21,26 and 27 to eliminate the multiple dependent claims. Applicants have not added any

additional claims to the application. The Examiner is asked to consider Claims 1-30 in view of the above amendments.

Respectfully submitted,

David A. Mims, Jr.

David A. Mims, Jr.
Attorney for Applicants
Registration No. 32,708
(512) 823-0950

DAM:dam

FAX: 512-823-1036

002107 25048960

SYSTEM AND METHOD FOR MANAGING MESSAGES AND ANNOTATIONS PRESENTED IN A USER INTERFACE

Background of the Invention

Technical Field of the Invention

This invention pertains to the presentation of annotated messages in a user interface. More particularly, it relates to the presentation, in a graphic user interface, of error messages together with user-supplied annotations.

Background Art

During application development with most application development tools (such as those in the IBM VisualAge® line), in most languages (such as C++ and Sun Microsystems, Inc.'s Java™), there comes a point where the developer must compile his or her work. If there are errors in the program, the compile will not be successful and an error message will be issued to diagnose each problem so that the developer will have an idea about what the trouble is, and hopefully, how to fix it.

However, there are literally hundreds of reasons why a compile can fail, and so hundreds of compile errors must be created by the designers and developers of the application development tool. This, coupled with the fact that it is very

difficult to anticipate all the situations that might cause a specific compile error, results in ambiguous error messages describing the problem, and virtually no help on how the problem can be solved.

5 Initially, it might seem that the solution is to devote time to writing better error messages, i.e., ones that more accurately describe the problem and how it might be solved. It is not reasonable to expect that designers and developers of the application development tools will anticipate all the possible
10 scenarios that might result in a compiler error, and then give correct advice on how to correct them. There are simply too many of them.

15 Programmers who have been working with a particular application development tool, or at least a specific compiler, for an extended period of time, will come to recognize certain error messages, and based on previous experience, know what the likely cause and solution to the problem is. All this information is carried in the developer's mind, even though there
20 may be dozens of different error messages for which this is true. In addition, they may recognize a smaller subset of these messages, and have their own interpretations that are specific to the quirks of a particular project that they are working on.

There is a need for a way to help developers offload their need to remember all the specific interpretations of the compiler error messages.

5 When a compiler error message is shown to the developer, the developer examines the code and fixes the problem. If the developer has difficulty interpreting the error message, the fix takes longer. Once accomplished, however, the developer makes a mental note about that particular error, and as experience with these messages grows, the fixes take less and less time. This is referred to as coming down the learning curve, and there is a great need in the art to accelerate and shorten that learning curve.

15 With several developers working in the same environment, it is possible that many may encounter the same error messages. Problems encountered by different developers may share common characteristics, and solutions may be similar. There is a need in the art to facilitate the sharing of experience with respect to these problems and solutions.

20 A developer may be working with a design application or compiler which provides its messages in a technical language which is unfamiliar, or not sufficiently familiar to enable use, and if translated at all, the translations may be poor. There is

25 CA9-1998-0006

a need for a way to provide error messages which are meaningful across language barriers.

It would be advantageous for an the invention to provide an improved system, method, computer program product, a program storage device and an article of manufacture for managing messages presented in a user interface.

It would be advantageous for an invention to provide user-annotated messages, such as error messages, to application developers.

It would be advantageous for an invention to provide an improved system, method, computer program product, a program storage device and an article of manufacture for presenting error messages in a graphic user interface selectively annotated by users.

It would be advantageous for an invention to provide a way to accelerate the learning curve of developers who must rely on error messages to identify and fix application or compile errors.

It would be advantageous for an invention to provide a way for developers to share experience with error message interpretation and application error solutions.

It would be advantageous for an invention to provide a way for developers to work across language barriers in the interpretation of error messages.

5 It would be advantageous for an invention to provide a way for developers to come quickly down the learning curve without having to rely on their own memories of error messages and solutions.

10 **Summary of the Invention**

15 A system and method for managing annotated messages, such as error messages, presented in a graphic user interface. User annotations for the messages displayed are selectively received, associated with the messages, and thereafter displayed to the user together with the messages.

In accordance with an aspect of the invention, there is provided a computer program product configured to be operable for managing messages and associated annotations entered by the user.

20 There is provided a method for managing messages, comprising the steps of displaying a message to a user; accepting from said user an annotation to said message; associating said annotation with said message; and thereafter selectively displaying said annotation with said message. The above method may be further
25 CA9-1998-0006

provided wherein said selectively displaying step further comprises the steps of displaying with said message indicia representing the existence of said annotation; selectively receiving from said user a request to display said annotation; and displaying said annotation with said message. The above methods may also be provided wherein said accepting step further comprises the steps of selectively presenting to said user an edit panel; and receiving from said user said annotation input to said edit panel. The above methods may further comprise the steps of selecting a message from a first file of messages for display to said user; and associating in a second file said annotation to a corresponding message in said first file. There may be further provided the steps of providing message identifying indicia for each message in said first file; generating annotation identifying indicia as a function of said message identifying indicia. Also, there may be further provided the steps of, upon presenting a message from said first file, determining the presence of a corresponding annotation in said second file; responsive to the presence of said corresponding annotation, displaying with said message indicia representing the existence of said annotation; selectively receiving from said user a request to display said annotation; and responsive to receiving the request from said user, displaying said annotation with said message.

The original above method may further comprise the steps of during processing of application code entered by a user, identifying an error in said code; selecting and presenting to said user an error message corresponding to said error; identifying and presenting to said user an annotation corresponding to said error message; and enabling and selectively receiving an annotation and a modified annotation from said user for association with said error message. The above method may further comprise the steps of preserving a history of error messages presented to said user; enabling user selection of an error message from said history of error messages; and selectively receiving from said user an annotation to the error message selected from said history.

All the above methods may further comprise the step of presenting said annotation to other users receiving said message. And certain of the above methods hereinbefore may further comprise the step of enabling access by other users to said second file.

There is also provided a method for managing error messages in a graphic user interface, comprising the steps of selecting and displaying an error message to a user; accepting from said user an annotation to said message; associating said annotation with said message; thereafter selectively displaying said

annotation with said message; and presenting an edit panel in said graphic user interface for user entry of new or modified annotations.

5 Also provided is a system for managing messages at a user interface, comprising means for displaying a message to a user; means for accepting from said user an annotation to said message; means for associating said annotation with said message; and means for selectively displaying said annotation with said message.

10 There is also provided a system for presenting messages in a user display, comprising a first file for storing a plurality of messages, each said message identified by a message key; a second file for storing a plurality of annotations, each said annotation associated with a corresponding said message; a first event driven control component for selecting from said first file a display message from said first file for presentation in said user display; a second event driven control component for determining the presence in said second file of an annotation associated with said display message; and a third event driven control component for displaying said associated annotation in said user display. The above system may further comprise a fourth control component responsive to entry in said user display of a message annotation to a displayed message, for adding said

25 CA9-1998-0006

message annotation to said second file associated with said displayed message. And the above method may further comprise an editor for receiving via an annotation panel in said user display said message annotation.

5

There is further provided a program storage device readable by a machine, tangibly embodying a program of instructions executable by a machine to perform the method steps for managing messages of any one of the above methods. Also provided is a computer program product or computer program element for managing a message display according to the steps of any one of the above methods. And there is provided articles of manufacture comprising a computer useable medium having computer readable program code means embodied therein for managing messages, the computer readable program means in said article of manufacture comprising computer readable program code means for causing a computer to effect the method steps of the above methods.

Also provided is a computer program product for presenting messages in a user display, comprising a first file for storing a plurality of messages, each said message identified by a message key; a second file for storing a plurality of annotations, each said annotation associated with a corresponding said message; a first event driven control component for selecting from said first file a display message from said first file for

CA9-1998-0006

presentation in said user display; a second event driven control component for determining the presence in said second file of an annotation associated with said display message; and a third event driven control component for displaying said associated annotation in said user display. The above computer program product may further comprise a fourth control component responsive to entry in said user display of a message annotation to a displayed message, for adding said message annotation to said second file associated with said displayed message.

Other features and advantages of this invention will become apparent from the following detailed description of the presently preferred embodiment of the invention, taken in conjunction with the accompanying drawings.

Brief Description of the Drawings

The present invention is illustrated by way of example and not limitation in the Figures of the accompanying drawings in which like references indicate similar or corresponding elements and in which:

Figure 1 is a flow chart representation of the application development process of the invention.

Figure 2 is a system diagram illustrating the message store and key structure of the invention.

Figures 3A-3C are a flow chart representation of the GUI/user interaction process of the invention.

Figures 4A-4C are a flow chart representation of the error message format process of the invention.

Figure 5 is an illustration of selected user/GUI interactions enabled by the present invention.

Figures 6-19 are screen capture representations of the interactions illustrated in Figure 5.

Best Mode for Carrying Out the Invention

In accordance with a preferred embodiment of the invention, a system, method, computer program product, a program storage device and an article of manufacture is provided for enabling an application developer to annotate a message, such as an error message, with additional text describing the message, such as the likely cause of error and its solution.

Normally, a developer makes a mental note about a particular error identified by an error message. With the present invention, the developer is able to click on the error message and bring up a simple word processor by which text describing the cause of the error and its solution may be entered. This is saved, and the next time the error is encountered, the saved annotation is available for presentation to the developer, and to other developers. In this manner, the developer may continually

CA9-1998-0006

improve the quality and usefulness of the error messages in ways that are specifically meaningful to him or his group.

Error messages that are diagnosing confusing problems may be specific or particular to a certain project. Other developers, particularly those new to the project, having access to the annotated error messages of others benefit from their experience.

Furthermore, the annotations may be recorded in the language of the developer - in his own words. These will be more intelligible and helpful to the developer and to others than, for example, messages in unfamiliar language, or messages that are poorly translated - as is more likely when dealing with the technical languages of application development.

Referring to Figure 1, the normal work flow for an application developer is illustrated. In step 40, the code is written. In step 41, the code is compiled. In step 42, the compiler generates the error messages which, in step 43, the developer evaluates and fixes the errors. This is followed by a recompile, a new pass through the error identification, and correction steps 42 and 43 until the code is error free. By the present invention, the developer is enabled in step 44 to

annotate the error messages generated in step 42 with his own text.

When a compiler system hits an error as it works its way through code being compiled, it references the error by an error number which identifies a file of error messages, and the particular message within that file. When the compiler software is translated to a new language (such as French or Hebrew), the file of error messages is translated, but the error numbers stay the same.

To implement a system in accordance with a preferred embodiment of the invention, a second, initially empty, error message file is provided. When a user adds a note to the error message, the note is stored in the second message file, referenced by the appropriate message number. Subsequently, when the compiler encounters the same error, it knows to display the standard error message from the first message file, and then checks to see if there is a user defined message, and if so, displays that one, or a link to it, as well. This way the user cannot corrupt the original error message file, yet can still add to the messages his own annotations. This second message file may be shared with others, including the manufacturer of the application development kit and compiler, for use in interpreting

and improving upon the usefulness and clarity of the messages in the first file.

Referring to Figure 2, error messages 53 are textual material stored in a message catalog 50 of some sort, and identified and accessed by way of message keys 52, for display on a user workstation in a window on a user screen display 57. Message catalog name 51 is combined with message keys 52 to generate annotation dialog keys 54 which are used to access by way of annotation keys 55 the annotations 56 to be combined with messages 53 for presentation to the user on display 57.

A button or menu option on screen 57 is selected to bring up an annotation window, and a text editor provided for enabling the developer to enter his own text. For any particular message then, combining the catalog name 51 and the message key 52 within the catalog gives a unique key 55 for associating information 56 with a particular message 53. There are many ways this can be implemented, such as a file containing key 55/annotation 56 pairs.

Once an error message has been annotated, the next time that error message is displayed, the annotated text is also displayed at the bottom of the message, under a heading such as 'annotation'. Alternatively, underneath the original message an

icon of some sort (like the 'twistee' arrow commonly used in Lotus Notes® product for collapsing and expanding) is presented. Selecting (clicking on) this icon expands the error message to show the annotations as well.

5

In accordance with a preferred embodiment of the invention, annotated error messages are stored in a single, editable text file 58 that defaults as being in read-only mode. For the instance where the developer annotates a message, the file 58 is toggled to read/write, the annotations 56 are added, and then file 58 is changed back to read-only. Thus the resting state of file 58 is read-only. While this makes it possible for developers to access the file to review it and make any changes as necessary, they will have to consciously toggle the file to read/write to do so. This lowers the chance of accidentally damaging or erasing the file.

Since, in this preferred embodiment, all the annotations 56 are stored in a single file 58, this file includes embedded 'hooks', or keys, 55 to each of the numbered error messages 51. By doing so, one developer can copy his or her annotations file to a second user's machine, and then when that user hits an error that has been annotated, he or she will be able to see the first developer's annotations. This allows users working on a common project to share experience.

CA9-1998-0006

To enable annotation of error messages with a fix description after a developer finally fixes the error, and the compiler no longer generates and displays the error message, there is added to display 57 a recall button or menu choice by which one or more, such as in a drop down list or window, recent error messages, such as those occurring since the last compile, may be recalled. From this list the developer may select and annotate the error message for which the fix has at last been found.

Referring to Figures 3A-3C, a flow chart of user interactions with an event driven graphic user interface (GUI) is presented for an exemplary embodiment of the invention. GUIs are event driven, and the flow chart illustrates the processing of those additional events added to a typical GUI to implement the present invention.

In step 61, the GUI code (hereafter referred to simply as the code) waits for an event e. Upon detecting an event, in step 62 the code determines if the event e is a popup event on a message, such as an error message. If so, in step 63 the code adds to the display menu the option to add an annotation, and returns to step 61. If event e is not a pop up event on a message, in step 64 the code determines if the event e is an

invocation of the add annotation message inserted at step 63 for
a message m, and if not, processing skips to step 70. If e is an
add annotation invocation, in step 65 the code displays the edit
annotation dialog for m and populates the dialog with the
unexpanded message text for m. In step 67 the code creates key k
54 from the identifier key 52 and catalog name 51 of message m
53, and in step 68 determines if there is an annotation x 56 with
key k 55 in persistent storage, such as annotation store or file
58. If not, the code returns to step 61 to wait for the next
event. If in step 68 an annotation is found to exist, in step 69
the dialog is populated with that annotation x. In step 70, the
code determines if event e is an OK event from the annotation
dialog and, if not jumps to step 75 to process other events. If
step 70 determines that the event is an OK event from the edit
annotation dialog, then in step 71 the code creates a key k 54,
and in step 72 associates the annotation x with key k 54 in store
58. In step 73 the dialog is dismissed, in step 74 views showing
message m are refreshed, and the code returns to step 61 to wait
for the next event e. In step 76 the code determines if event e
is an exit event, and if so, finishes; and if not, returns to
step 61 to await the next event.

Referring to Figures 4A-4C, an exemplary method of the
invention for printing messages to display 57 with annotations is
set forth. Examples of these display messages are given in
CA9-1998-0006

Figures 5-19. In steps 91 and 92, if no errors have been detected, a message such as "No messages" is presented. If errors have been detected, in step 93 the text of each message x 53 is obtained from store 50, and in step 94 the code determines if message x has associated annotations in store 58. If so, in 5 step 95 an interactor (a control for expanding and collapsing part of the printed display) is printed. In step 96, the message icon is printed to the display, in step 97 the message text is printed, and in step 98 the end of line. If, the test being 10 represented by step 99, message x does not have annotations, step 111 is reached to determine if there are any further messages to process. If message x does have annotations, in steps 100-103 the code indents the display, prints the interactor, prints "Annotations", and prints end of line. In steps 104-107, the 15 code indents the display, gets next annotation y, prints annotation y with substitution, and prints end of line. In step 108, the code determines if there are more annotations for this message, and if so returns to step 105 to get the next one. If not, in steps 109 and 110, the code issues unindents, and in step 20 111 determines if there are any more messages. If so, processing returns to step 93, and if not processing ends at step 112.

Referring to Figures 5-19, a series of GUI screen captures are represented which illustrates several points in the process of error message annotation. In Figure 6, the user encounters an 25 CA9-1998-0006

error in the build. In Figure 7, the user right clicks on an error to invoke the popup. In Figure 8, the user invokes the add annotation action. In Figure 9, the user is presented the annotation dialog. In Figure 10, the user enters text into the dialog. The user has now finished adding the annotation, and Figure 11 represents what the screen looks like this time, and any other time this error occurs. In Figure 12, the user invokes the popup on the second error message. In Figure 13, the user is presented a second dialog. In Figure 14, the user enters text into the second dialog. In Figure 15, the user sees the state of the display after the second dialog. In Figure 16, the user expands the first error message to see its annotation. In Figure 17, the user expands the second error message to see its annotation. In Figure 18, the user, now wanting to change the text for the first annotation, brings up the popup. This will bring up an edit annotation popup similar to that of Figure 19, enabling the user to further edit the annotation text.

The detailed descriptions may have been presented in terms of program procedures executed on a computer or network of computers. These procedural descriptions and representations are the means used by those skilled in the art to most effectively convey the substance of their work to others skilled in the art. They may be implemented in hardware or software, or a combination of the two.

CA9-1998-0006

A procedure is here, and generally, conceived to be a self-consistent sequence of steps leading to a desired result. These steps are those requiring physical manipulations of physical quantities. Usually, though not necessarily, these quantities take the form of electrical or magnetic signals capable of being stored, transferred, combined, compared, and otherwise manipulated. It proves convenient at times, principally for reasons of common usage, to refer to these signals as bits, values, elements, symbols, characters, terms, numbers, objects, attributes or the like. It should be noted, however, that all of these and similar terms are to be associated with the appropriate physical quantities and are merely convenient labels applied to these quantities.

Further, the manipulations performed are often referred to in terms, such as adding or comparing, which are commonly associated with mental operations performed by a human operator. No such capability of a human operator is necessary, or desirable in most cases, in any of the operations described herein which form part of the present invention; the operations are machine operations. Useful machines for performing the operations of the present invention include general purpose digital computers or similar devices.

Each step of the method may be executed on any general computer, such as a mainframe computer, personal computer or the like and pursuant to one or more, or a part of one or more, program modules or objects generated from any programming language, such as C++, Java, Fortran or the like. And still further, each step, or a file or object or the like implementing each step, may be executed by special purpose hardware or a circuit module designed for that purpose.

In the case of diagrams depicted herein, they are provided by way of example. There may be variations to these diagrams or the steps (or operations) described herein without departing from the spirit of the invention. For instance, in certain cases, the steps may be performed in differing order, or steps may be added, deleted or modified. All of these variations are considered to comprise part of the present invention as recited in the appended claims.

While the description herein may refer to interactions with the user interface by way of, for example, computer mouse operation, it will be understood that within the present invention the user is provided with the ability to interact with these graphical representations by any known computer interface mechanisms, including without limitation pointing devices such as computer mice or trackballs, joysticks, touch screen or light

pen implementations or by voice recognition interaction with the computer system.

5 The invention is preferably implemented in a high level procedural or object-oriented programming language to communicate with a computer. However, the invention can be implemented in assembly or machine language, if desired. In any case, the language may be a compiled or interpreted language.

10 The invention may be implemented as an article of manufacture comprising a computer usable medium having computer readable program code means therein for executing the method steps of the invention, a program storage device readable by a machine, tangibly embodying a program of instructions executable by a machine to perform the method steps of the invention, or a computer program product. Such an article of manufacture, program storage device or computer program product may include, but is not limited to, CD-ROMs, diskettes, tapes, hard drives, computer RAM or ROM and/or the electronic, magnetic, optical, biological or other similar embodiment of the program. Indeed, the article of manufacture, program storage device or computer program product may include any solid or fluid transmission medium, magnetic or optical, or the like, for storing or transmitting signals readable by a machine for controlling the operation of a general or special purpose programmable computer according to the

15
20
25

CA9-1998-0006

method of the invention and/or to structure its components in accordance with a system of the invention.

5 The invention may also be implemented in a system. A system may comprise a computer that includes a processor and a memory device and optionally, a storage device, an output device such as a video display and/or an input device such as a keyboard or computer mouse. Moreover, a system may comprise an interconnected network of computers. Computers may equally be in stand-alone form (such as the traditional desktop personal computer) or integrated into another apparatus (such a cellular telephone). The system may be specially constructed for the required purposes to perform, for example, the method steps of the invention or it may comprise one or more general purpose computers as selectively activated or reconfigured by a computer program in accordance with the teachings herein stored in the computer(s). The procedures presented herein are not inherently related to a particular computer system or other apparatus. The required structure for a variety of these systems will appear from the description given.

20 While this invention has been described in relation to preferred embodiments, it will be understood by those skilled in the art that changes in the details of construction, arrangement of parts, compositions, processes, structures and materials

25 CA9-1998-0006

selection may be made without departing from the spirit and scope of this invention. Many modifications and variations are possible in light of the above teaching. Thus, it should be understood that the above described embodiments have been provided by way of example rather than as a limitation and that the specification and drawing(s) are, accordingly, to be regarded in an illustrative rather than a restrictive sense. The embodiments of the invention in which an exclusive property or privilege is claimed are defined as follows:

5

002707 25028960

1. A method for managing messages, comprising the steps of:
displaying a message to a user;
accepting from said user an annotation to said message;
5 associating said annotation with said message; and
thereafter selectively displaying said annotation with said
message.

10 2. The method of claim 1, said selectively displaying step
further comprising the steps of:
displaying with said message indicia representing the
existence of said annotation;
selectively receiving from said user a request to display
said annotation; and
15 displaying said annotation with said message.

20 3. The method of claim 1 or claim 2, said accepting step
further comprising the steps of:
selectively presenting to said user an edit panel; and
receiving from said user said annotation input to said edit
panel.

4. The method of any one of claims 1 to 3, further comprising
the steps of:

selecting a message from a first file of messages for display to said user; and
associating in a second file said annotation to a corresponding message in said first file.

5

5. The method of claim 4, further comprising the steps of:
providing message identifying indicia for each message in said first file;
generating annotation identifying indicia as a function of said message identifying indicia.

10

6. The method of claim 4 or claim 5, further comprising the steps of:

upon presenting a message from said first file, determining the presence of a corresponding annotation in said second file;

responsive to the presence of said corresponding annotation, displaying with said message indicia representing the existence of said annotation;

selectively receiving from said user a request to display said annotation; and

responsive to receiving the request from said user, displaying said annotation with said message.

7. The method of claim 1, further comprising the steps of:

during processing of application code entered by a user,
identifying an error in said code;

selecting and presenting to said user an error message
corresponding to said error;

identifying and presenting to said user an annotation
corresponding to said error message; and

enabling and selectively receiving an annotation and a
modified annotation from said user for association with said
error message.

8. The method of claim 7, further comprising the steps of:
preserving a history of error messages presented to said
user;

enabling user selection of an error message from said
history of error messages; and

selectively receiving from said user an annotation to the
error message selected from said history.

9. The method of any one of claims 1 to 8, further comprising
the step of presenting said annotation to other users receiving
said message.

10. The method of any one of claims 4 to 6, further comprising
the step of enabling access by other users to said second file.

11. A method for managing error messages in a graphic user interface, comprising the steps of:

selecting and displaying an error message to a user;
accepting from said user an annotation to said message;
5 associating said annotation with said message;
thereafter selectively displaying said annotation with said message; and
presenting an edit panel in said graphic user interface for user entry of new or modified annotations.

10 12. A system for managing messages at a user interface, comprising:

means for displaying a message to a user;
means for accepting from said user an annotation to said
15 message;
means for associating said annotation with said message; and
means for selectively displaying said annotation with said message.

20 13. A system for presenting messages in a user display, comprising:

a first file for storing a plurality of messages, each said message identified by a message key;

a second file for storing a plurality of annotations, each
25 said annotation associated with a corresponding said message;

CA9-1998-0006

a first event driven control component for selecting from said first file a display message from said first file for presentation in said user display;

a second event driven control component for determining the presence in said second file of an annotation associated with said display message; and

a third event driven control component for displaying said associated annotation in said user display.

14. The system of claim 13, further comprising a fourth control component responsive to entry in said user display of a message annotation to a displayed message, for adding said message annotation to said second file associated with said displayed message.

15. The system of claim 14, further comprising an editor for receiving via an annotation panel in said user display said message annotation.

16. A program storage device readable by a machine, tangibly embodying a program of instructions executable by a machine to perform the method steps for managing messages of any one of claims 1 to 11.

17. A computer program product or computer program element for managing a message display according to the steps of any one of claims 1 to 11.

5 18. An article of manufacture comprising:

a computer useable medium having computer readable program code means embodied therein for managing messages, the computer readable program means in said article of manufacture comprising:

10 computer readable program code means for causing a computer to effect displaying a message to a user;

computer readable program code means for causing a computer to effect accepting from said user an annotation to said message;

15 computer readable program code means for causing a computer to effect associating said annotation with said message; and

computer readable program code means for causing a computer to effect thereafter selectively displaying said annotation with said message.

20 19. The article of manufacture of claim 18, said computer readable program code means for causing a computer to effect selectively displaying further comprising:

computer readable program code means for causing a computer to effect displaying with said message indicia representing the existence of said annotation;

computer readable program code means for causing a computer to effect selectively receiving from said user a request to display said annotation; and

computer readable program code means for causing a computer to effect displaying said annotation with said message.

20. The article of manufacture of claim 18 or claim 19, said computer readable program code means for causing a computer to effect accepting further comprising:

computer readable program code means for causing a computer to effect selectively presenting to said user an edit panel; and

computer readable program code means for causing a computer to effect receiving from said user said annotation input to said edit panel.

21. The article of manufacture of any one of claims 18 to 20, further comprising:

computer readable program code means for causing a computer to effect selecting a message from a first file of messages for display to said user; and

computer readable program code means for causing a computer to effect associating in a second file said annotation to a corresponding message in said first file.

5 22. The article of manufacture of claim 21, further comprising:

computer readable program code means for causing a computer to effect providing message identifying indicia for each message in said first file;

10 computer readable program code means for causing a computer to effect generating annotation identifying indicia as a function of said message identifying indicia.

23. The article of manufacture of claim 21 or claim 22, further comprising:

15 computer readable program code means for causing a computer to effect, upon presenting a message from said first file, determining the presence of a corresponding annotation in said second file;

20 computer readable program code means for causing a computer to effect, responsive to the presence of said corresponding annotation, displaying with said message indicia representing the existence of said annotation;

25 computer readable program code means for causing a computer to effect selectively receiving from said user a request to display said annotation; and

CA9-1998-0006

computer readable program code means for causing a computer to effect responsive to receiving the request from said user, displaying said annotation with said message.

5 24. The article of manufacture of claim 18, further comprising:

computer readable program code means for causing a computer to effect, during processing of application code entered by a user, identifying an error in said code;

10 computer readable program code means for causing a computer to effect, selecting and presenting to said user an error message corresponding to said error;

15 computer readable program code means for causing a computer to effect identifying and presenting to said user an annotation corresponding to said error message; and

computer readable program code means for causing a computer to effect enabling and selectively receiving an annotation and a modified annotation from said user for association with said error message.

20 25. The article of manufacture of claim 24, further comprising:

computer readable program code means for causing a computer to effect preserving a history of error messages presented to said user;

computer readable program code means for causing a computer to effect enabling user selection of an error message from said history of error messages; and

computer readable program code means for causing a computer to effect selectively receiving from said user an annotation to the error message selected from said history.

26. The article of manufacture of any one of claims 18 to 25, further comprising computer readable program code means for causing a computer to effect presenting said annotation to other users receiving said message.

27. The article of manufacture of any one of claims 21 to 23, further comprising computer readable program code means for causing a computer to effect enabling access by other users to said second file.

28. An article of manufacture comprising:

a computer useable medium having computer readable program code means embodied therein for managing error messages in a graphic user interface, the computer readable program means in said article of manufacture comprising:

computer readable program code means for causing a computer to effect selecting and displaying an error message to a user;

computer readable program code means for causing a computer to effect accepting from said user an annotation to said message;

5 computer readable program code means for causing a computer to effect associating said annotation with said message;

computer readable program code means for causing a computer to effect thereafter selectively displaying said annotation with said message; and

10 computer readable program code means for causing a computer to effect presenting an edit panel in said graphic user interface for user entry of new or modified annotations.

15 29. A computer program product for presenting messages in a user display, comprising:

a first file for storing a plurality of messages, each said message identified by a message key;

20 a second file for storing a plurality of annotations, each said annotation associated with a corresponding said message;

a first event driven control component for selecting from said first file a display message from said first file for presentation in said user display;

a second event driven control component for determining the presence in said second file of an annotation associated with said display message; and

a third event driven control component for displaying said associated annotation in said user display.

30. The computer program product of claim 29, further comprising a fourth control component responsive to entry in said user display of a message annotation to a displayed message, for adding said message annotation to said second file associated with said displayed message.


Figure 1

Figure 2






Figure 3A



002101" 25048960

Figure 3B



002101 2502960

Figure 3C





FIGURE 3A

FIGURE 3B

FIGURE 3C

Figure 4B



	1990-1991	1991-1992	1992-1993	1993-1994	1994-1995	1995-1996	1996-1997	1997-1998	1998-1999	1999-2000	2000-2001	2001-2002	2002-2003	2003-2004	2004-2005	2005-2006	2006-2007	2007-2008	2008-2009	2009-2010	2010-2011	2011-2012	2012-2013	2013-2014	2014-2015	2015-2016	2016-2017	2017-2018	2018-2019	2019-2020	2020-2021	2021-2022	2022-2023	2023-2024	2024-2025	2025-2026	2026-2027	2027-2028	2028-2029	2029-2030	2030-2031	2031-2032	2032-2033	2033-2034	2034-2035	2035-2036	2036-2037	2037-2038	2038-2039	2039-2040	2040-2041	2041-2042	2042-2043	2043-2044	2044-2045	2045-2046	2046-2047	2047-2048	2048-2049	2049-2050	2050-2051	2051-2052	2052-2053	2053-2054	2054-2055	2055-2056	2056-2057	2057-2058	2058-2059	2059-2060	2060-2061	2061-2062	2062-2063	2063-2064	2064-2065	2065-2066	2066-2067	2067-2068	2068-2069	2069-2070	2070-2071	2071-2072	2072-2073	2073-2074	2074-2075	2075-2076	2076-2077	2077-2078	2078-2079	2079-2080	2080-2081	2081-2082	2082-2083	2083-2084	2084-2085	2085-2086	2086-2087	2087-2088	2088-2089	2089-2090	2090-2091	2091-2092	2092-2093	2093-2094	2094-2095	2095-2096	2096-2097	2097-2098	2098-2099	2099-2100	2100-2101	2101-2102	2102-2103	2103-2104	2104-2105	2105-2106	2106-2107	2107-2108	2108-2109	2109-2110	2110-2111	2111-2112	2112-2113	2113-2114	2114-2115	2115-2116	2116-2117	2117-2118	2118-2119	2119-2120	2120-2121	2121-2122	2122-2123	2123-2124	2124-2125	2125-2126	2126-2127	2127-2128	2128-2129	2129-2130	2130-2131	2131-2132	2132-2133	2133-2134	2134-2135	2135-2136	2136-2137	2137-2138	2138-2139	2139-2140	2140-2141	2141-2142	2142-2143	2143-2144	2144-2145	2145-2146	2146-2147	2147-2148	2148-2149	2149-2150	2150-2151	2151-2152	2152-2153	2153-2154	2154-2155	2155-2156	2156-2157	2157-2158	2158-2159	2159-2160	2160-2161	2161-2162	2162-2163	2163-2164	2164-2165	2165-2166	2166-2167	2167-2168	2168-2169	2169-2170	2170-2171	2171-2172	2172-2173	2173-2174	2174-2175	2175-2176	2176-2177	2177-2178	2178-2179	2179-2180	2180-2181	2181-2182	2182-2183	2183-2184	2184-2185	2185-2186	2186-2187	2187-2188	2188-2189	2189-2190	2190-2191	2191-2192	2192-2193	2193-2194	2194-2195	2195-2196	2196-2197	2197-2198	2198-2199	2199-2200	2200-2201	2201-2202	2202-2203	2203-2204	2204-2205	2205-2206	2206-2207	2207-2208	2208-2209	2209-2210	2210-2211	2211-2212	2212-2213	2213-2214	2214-2215	2215-2216	2216-2217	2217-2218	2218-2219	2219-2220	2220-2221	2221-2222	2222-2223	2223-2224	2224-2225	2225-2226	2226-2227	2227-2228	2228-2229	2229-2230	2230-2231	2231-2232	2232-2233	2233-2234	2234-2235	2235-2236	2236-2237	2237-2238	2238-2239	2239-2240	2240-2241	2241-2242	2242-2243	2243-2244	2244-2245	2245-2246	2246-2247	2247-2248	2248-2249	2249-2250	2250-2251	2251-2252	2252-2253	2253-2254	2254-2255	2255-2256	2256-2257	2257-2258	2258-2259	2259-2260	2260-2261	2261-2262	2262-2263	2263-2264	2264-2265	2265-2266	2266-2267	2267-2268	2268-2269	2269-2270	2270-2271	2271-2272	2272-2273	2273-2274	2274-2275	2275-2276	2276-2277	2277-2278	2278-2279	2279-2280	2280-2281	2281
--	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	------





Figure 6



00667092 " 101200

Figure 7




Figure 8





Figure 9



09587092 101200

Figure 10






Figure 11



002707" 26029960

Figure 12



09667092.101200

Figure 13




Figure 14






Figure 15



09687092 10100

Figure 16



002705 10.200

Figure 17






Figure 18



002101 25028960

Figure 19



DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name;

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

SYSTEM AND METHOD FOR MANAGING MESSAGES AND ANNOTATIONS PRESENTED IN A USER INTERFACE

The specification of which (check one):

X is attached hereto.
was filed on;
as Application Serial No.
and which was amended on _____ (if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the patentability of this application in accordance with Title 37, Code of Federal Regulations, § 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, § 119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s):

<u>2,293,068</u>	<u>Canada</u>	<u>12/22/1999</u>	<u>Priority Claimed</u>
(Number)	(Country)	(Day/Month/Year)x.... Yes No

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose information material to the patentability of this application as defined in Title 37, Code of Federal Regulations, § 1.56 which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

(Application Serial#)	(Filing Date)	(Status)
-----------------------	---------------	----------

002207 25029960

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorneys and/or agents to prosecute this application and transact all business in the Patent and Trademark Office connected therewith.

John W. Henderson, Jr., Reg. No. 26,907; James H. Barksdale, Jr., Reg. No. 24,091; Thomas E. Tyson, Reg. No. 28,543; Robert M. Carwell, Reg. No. 28,499; Jeffrey S. LaBaw, Reg. No. 31,633; Douglas H. Lefevre, Reg. No. 26,193; Casimer K. Salys, Reg. No. 28,900; David A. Mims, Jr., Reg. No. 32,708; Anthony V. England, Reg. No. 35,129; Mark E. McBurney, Reg. No. 33,114; Volel Emile, Reg. No. 39,969; Leslie A. Van Leeuwen, Reg. No. 42,196; Marilyn S. Dawkins, Reg. No. 31,140; and John E. Hoel, Reg. No. 26,279

Send correspondence to: David A. Mims, Jr., International Business Machines Corporation, Intellectual Property Law Department, Internal Zip 4054, 11400 Burnet Road, Austin, Texas 78758 and direct all telephone calls to David A. Mims, Jr. (512) 823-0950

FULL NAME OF FIRST INVENTOR:

INVENTOR'S SIGNATURE:

DATE:

RESIDENCE:

CITIZENSHIP:

Andrew Z. Blau

March 24/00

525 Chaplin Crescent, #107
Toronto, Ontario, M5N 2N2, Canada
Canadian

FULL NAME OF SECOND INVENTOR:

INVENTOR'S SIGNATURE:

DATE:

RESIDENCE:

CITIZENSHIP:

Eduardus A.T. Merks

Ed. Merks

April 5, 2000

7 Concorde Place, #1902
North York, Ontario, M3C 3N4, Canada
Canadian